

Hudson - Defect #1188

Internal error

02/22/2013 05:48 PM - NAITOH Jun

Status: Closed	Start date: 02/22/2013
Priority: Normal	Due date:
Assignee: Toshiyuki Ando	% Done: 100%
Category:	Estimated time: 0.00 hour
Target version: 2.1.2	Spent time: 0.00 hour

Description

What steps will reproduce the problem?

Redmine Hudson plugin 2.1.1

1. Hudson
2.
 - o url
 - o
 - o
- 3.
4. Internal error

What is the expected output? What do you see instead?

Internal error

Please give us a result of following command.

```
% ruby script/about
```

```
/projects/data/FB/redmine/lib/redmine/version.rb:5: warning: already initialized constant MAJOR
/projects/data/FB/redmine/lib/redmine/version.rb:6: warning: already initialized constant MINOR
/projects/data/FB/redmine/lib/redmine/version.rb:7: warning: already initialized constant TINY
/projects/data/FB/redmine/lib/redmine/version.rb:13: warning: already initialized constant BRANCH
/projects/data/FB/redmine/lib/redmine/version.rb:30: warning: already initialized constant REVISIO
N
/projects/data/FB/redmine/lib/redmine/version.rb:31: warning: already initialized constant ARRAY
/projects/data/FB/redmine/lib/redmine/version.rb:32: warning: already initialized constant STRING
```

Environment:

```
Redmine version      2.2.3.stable
Ruby version         1.8.7 (x86_64-linux)
Rails version        3.2.12
Environment          production
Database adapter     SQLite
```

Redmine plugins:

```
redmine_code_review  0.6.1
redmine_hudson       2.1.1
redmine_issue_templates 0.0.5
redmine_parking_lot_chart 0.0.7
redmine_scm          0.4.2
redmine_svnauth      0.0.2
redmine_vividtone_my_page_blocks 1.2 (20120610)
redmine_wiki_extensions 0.6.0
redmine_work_time    0.2.6
redmine_xls_export   0.2.1
```

Please provide any additional information below.

production.log (IP)

```
Started PUT "/FB/redmine/projects/project-trunk/hudson_settings/edit" for XX.XX.X.XXX at Fri Feb 2 2 17:27:06 +0900 2013
Processing by HudsonSettingsController#edit as HTML
  Parameters: {"job_settings"=>{"-1"=>""}, "id"=>"project-trunk", "utf8"=>"?", "commit"=>"", "authenticity_token"=>"y6LdVp7Ie0OX3ycN2sZMjhnsaWAw+r1Ws22Loh3IrWU=", "settings"=>{"get_build_details"=>"true", "auth_user"=>"XXXX", "url_for_plugin"=>""}, "jobs"=>["XXX.windows", ""], "url"=>"http://X
XXX:XXXX/", "show_compact"=>"0", "auth_password"=>"[FILTERED]", "look_and_feel"=>"Hudson"}}
  Current user: admin (id=1)
Completed 500 Internal Server Error in 150ms
```

REXML::ParseException (#<REXML::ParseException: Missing end tag for 'hr' (got "body")

```
Line:
Position:
Last 80 unconsumed characters:
</html>>
/usr/lib/ruby/1.8/rexml/parsers/baseparser.rb:330:in `pull'
/usr/lib/ruby/1.8/rexml/parsers/treeparser.rb:22:in `parse'
/usr/lib/ruby/1.8/rexml/document.rb:227:in `build'
/usr/lib/ruby/1.8/rexml/document.rb:43:in `initialize'
/projects/data/FB/redmine/plugins/redmine_hudson/app/controllers/hudson_settings_controller.rb:132:in `new'
/projects/data/FB/redmine/plugins/redmine_hudson/app/controllers/hudson_settings_controller.rb:132:in `find_hudson_jobs'
/projects/data/FB/redmine/plugins/redmine_hudson/app/controllers/hudson_settings_controller.rb:50:in `edit'
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_controller/metal/implicit_render.rb:4:in `send_action'
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_controller/metal/implicit_render.rb:4:in `send_action'
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/abstract_controller/base.rb:167:in `process_action'
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_controller/metal/rendering.rb:10:in `process_action'
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/abstract_controller/callbacks.rb:18:in `process_action'
/usr/lib64/ruby/gems/1.8/gems/activesupport-3.2.12/lib/active_support/callbacks.rb:502:in `_run__98282175__process_action__738462546__callbacks'
/usr/lib64/ruby/gems/1.8/gems/activesupport-3.2.12/lib/active_support/callbacks.rb:405:in `send'
/usr/lib64/ruby/gems/1.8/gems/activesupport-3.2.12/lib/active_support/callbacks.rb:405:in `__run_callbacks'
/usr/lib64/ruby/gems/1.8/gems/activesupport-3.2.12/lib/active_support/callbacks.rb:385:in `_run_process_action_callbacks'
/usr/lib64/ruby/gems/1.8/gems/activesupport-3.2.12/lib/active_support/callbacks.rb:81:in `send'
/usr/lib64/ruby/gems/1.8/gems/activesupport-3.2.12/lib/active_support/callbacks.rb:81:in `run_callbacks'
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/abstract_controller/callbacks.rb:17:in `process_action'
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_controller/metal/rescue.rb:29:in `process_action'
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_controller/metal/instrumentation.rb:30:in `process_action'
/usr/lib64/ruby/gems/1.8/gems/activesupport-3.2.12/lib/active_support/notifications.rb:123:in `instrument'
/usr/lib64/ruby/gems/1.8/gems/activesupport-3.2.12/lib/active_support/notifications/instrumenter.rb:20:in `instrument'
/usr/lib64/ruby/gems/1.8/gems/activesupport-3.2.12/lib/active_support/notifications.rb:123:in `instrument'
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_controller/metal/instrumentation.rb:29:in `process_action'
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_controller/metal/params_wrapper.rb:207:in `process_action'
/usr/lib64/ruby/gems/1.8/gems/activerecord-3.2.12/lib/active_record/railties/controller_runtime.rb
```

```
:18:in `process_action'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/abstract_controller/base.rb:121:in `process'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/abstract_controller/rendering.rb:45:in `process'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_controller/metal.rb:203:in `dispatch'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_controller/metal/rack_delegation.rb:14:in `dispatch'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_controller/metal.rb:246:in `action'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_dispatch/routing/route_set.rb:73:in `call'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_dispatch/routing/route_set.rb:73:in `dispatch'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_dispatch/routing/route_set.rb:36:in `call'  
/usr/lib64/ruby/gems/1.8/gems/journey-1.0.4/lib/journey/router.rb:68:in `call'  
/usr/lib64/ruby/gems/1.8/gems/journey-1.0.4/lib/journey/router.rb:56:in `each'  
/usr/lib64/ruby/gems/1.8/gems/journey-1.0.4/lib/journey/router.rb:56:in `call'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_dispatch/routing/route_set.rb:601:in `call'  
/usr/lib64/ruby/gems/1.8/gems/rack-openid-1.3.1/lib/rack/openid.rb:98:in `call'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_dispatch/middleware/best_standards_support.rb:17:in `call'  
/usr/lib64/ruby/gems/1.8/gems/rack-1.4.5/lib/rack/etag.rb:23:in `call'  
/usr/lib64/ruby/gems/1.8/gems/rack-1.4.5/lib/rack/conditionalget.rb:35:in `call'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_dispatch/middleware/head.rb:14:in `call'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_dispatch/middleware/params_parser.rb:21:in `call'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_dispatch/middleware/flash.rb:242:in `call'  
/usr/lib64/ruby/gems/1.8/gems/rack-1.4.5/lib/rack/session/abstract/id.rb:210:in `context'  
/usr/lib64/ruby/gems/1.8/gems/rack-1.4.5/lib/rack/session/abstract/id.rb:205:in `call'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_dispatch/middleware/cookies.rb:341:in `call'  
/usr/lib64/ruby/gems/1.8/gems/activerecord-3.2.12/lib/active_record/query_cache.rb:64:in `call'  
/usr/lib64/ruby/gems/1.8/gems/activerecord-3.2.12/lib/active_record/connection_adapters/abstract/connection_pool.rb:479:in `call'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_dispatch/middleware/callbacks.rb:28:in `call'  
/usr/lib64/ruby/gems/1.8/gems/activesupport-3.2.12/lib/active_support/callbacks.rb:405:in `_run__495543628__call__4__callbacks'  
/usr/lib64/ruby/gems/1.8/gems/activesupport-3.2.12/lib/active_support/callbacks.rb:405:in `send'  
/usr/lib64/ruby/gems/1.8/gems/activesupport-3.2.12/lib/active_support/callbacks.rb:405:in `__run_callbacks'  
/usr/lib64/ruby/gems/1.8/gems/activesupport-3.2.12/lib/active_support/callbacks.rb:385:in `_run_callbacks'  
/usr/lib64/ruby/gems/1.8/gems/activesupport-3.2.12/lib/active_support/callbacks.rb:81:in `send'  
/usr/lib64/ruby/gems/1.8/gems/activesupport-3.2.12/lib/active_support/callbacks.rb:81:in `run_callbacks'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_dispatch/middleware/callbacks.rb:27:in `call'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_dispatch/middleware/remote_ip.rb:31:in `call'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_dispatch/middleware/debug_exceptions.rb:16:in `call'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_dispatch/middleware/show_exceptions.rb:56:in `call'  
/usr/lib64/ruby/gems/1.8/gems/railties-3.2.12/lib/rails/rack/logger.rb:32:in `call_app'  
/usr/lib64/ruby/gems/1.8/gems/railties-3.2.12/lib/rails/rack/logger.rb:18:in `call'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_dispatch/middleware/request_id.rb:22:in `call'  
/usr/lib64/ruby/gems/1.8/gems/rack-1.4.5/lib/rack/methodoverride.rb:21:in `call'  
/usr/lib64/ruby/gems/1.8/gems/rack-1.4.5/lib/rack/runtime.rb:17:in `call'  
/usr/lib64/ruby/gems/1.8/gems/activesupport-3.2.12/lib/active_support/cache/strategy/local_cache.rb:72:in `call'  
/usr/lib64/ruby/gems/1.8/gems/rack-1.4.5/lib/rack/lock.rb:15:in `call'  
/usr/lib64/ruby/gems/1.8/gems/actionpack-3.2.12/lib/action_dispatch/middleware/static.rb:62:in `call'
```

```
11'  
/usr/lib64/ruby/gems/1.8/gems/rack-cache-1.2/lib/rack/cache/context.rb:136:in `forward'  
/usr/lib64/ruby/gems/1.8/gems/rack-cache-1.2/lib/rack/cache/context.rb:143:in `pass'  
/usr/lib64/ruby/gems/1.8/gems/rack-cache-1.2/lib/rack/cache/context.rb:155:in `invalidate'  
/usr/lib64/ruby/gems/1.8/gems/rack-cache-1.2/lib/rack/cache/context.rb:71:in `call!'  
/usr/lib64/ruby/gems/1.8/gems/rack-cache-1.2/lib/rack/cache/context.rb:51:in `call'  
/usr/lib64/ruby/gems/1.8/gems/railties-3.2.12/lib/rails/engine.rb:479:in `call'  
/usr/lib64/ruby/gems/1.8/gems/railties-3.2.12/lib/rails/application.rb:223:in `call'  
/usr/lib64/ruby/gems/1.8/gems/railties-3.2.12/lib/rails/railtie/configurable.rb:30:in `send'  
/usr/lib64/ruby/gems/1.8/gems/railties-3.2.12/lib/rails/railtie/configurable.rb:30:in `method_mis  
sing'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/rack/request_handler.rb:92:in  
`process_request'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/abstract_request_handler.rb:2  
07:in `main_loop'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/railz/application_spawner.rb:  
441:in `start_request_handler'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/railz/application_spawner.rb:  
381:in `handle_spawn_application'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/utils.rb:252:in `safe_fork'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/railz/application_spawner.rb:  
377:in `handle_spawn_application'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/abstract_server.rb:352:in `__  
send__'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/abstract_server.rb:352:in `ma  
in_loop'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/abstract_server.rb:196:in `st  
art_synchronously'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/abstract_server.rb:163:in `st  
art'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/railz/application_spawner.rb:  
222:in `start'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/spawn_manager.rb:262:in `spaw  
n_rails_application'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/abstract_server_collection.rb  
:126:in `lookup_or_add'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/spawn_manager.rb:256:in `spaw  
n_rails_application'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/abstract_server_collection.rb  
:80:in `synchronize'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/abstract_server_collection.rb  
:79:in `synchronize'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/spawn_manager.rb:255:in `spaw  
n_rails_application'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/spawn_manager.rb:154:in `spaw  
n_application'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/spawn_manager.rb:287:in `hand  
le_spawn_application'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/abstract_server.rb:352:in `__  
send__'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/abstract_server.rb:352:in `ma  
in_loop'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/lib/phusion_passenger/abstract_server.rb:196:in `st  
art_synchronously'  
/usr/lib64/ruby/gems/1.8/gems/passenger-2.2.14/bin/passenger-spawn-server:61  
...  
Missing end tag for 'hr' (got "body")  
Line:  
Position:  
Last 80 unconsumed characters:  
</html>  
Line:  
Position:  
Last 80 unconsumed characters:  
</html>):  
/usr/lib/ruby/1.8/rexml/parsers/treeparser.rb:92:in `parse'  
/usr/lib/ruby/1.8/rexml/document.rb:227:in `build'
```

```

/usr/lib/ruby/1.8/rexml/document.rb:43:in `initialize'
plugins/redmine_hudson/app/controllers/hudson_settings_controller.rb:132:in `new'
plugins/redmine_hudson/app/controllers/hudson_settings_controller.rb:132:in `find_hudson_jobs'
plugins/redmine_hudson/app/controllers/hudson_settings_controller.rb:50:in `edit'
actionpack (3.2.12) lib/action_controller/metal/implicit_render.rb:4:in `send_action'
actionpack (3.2.12) lib/action_controller/metal/implicit_render.rb:4:in `send_action'
actionpack (3.2.12) lib/abstract_controller/base.rb:167:in `process_action'
actionpack (3.2.12) lib/action_controller/metal/rendering.rb:10:in `process_action'
actionpack (3.2.12) lib/abstract_controller/callbacks.rb:18:in `process_action'
activesupport (3.2.12) lib/active_support/callbacks.rb:502:in `_run__98282175__process_action__7
38462546__callbacks'
activesupport (3.2.12) lib/active_support/callbacks.rb:405:in `send'
activesupport (3.2.12) lib/active_support/callbacks.rb:405:in `__run_callback'
activesupport (3.2.12) lib/active_support/callbacks.rb:385:in `_run_process_action_callbacks'
activesupport (3.2.12) lib/active_support/callbacks.rb:81:in `send'
activesupport (3.2.12) lib/active_support/callbacks.rb:81:in `run_callbacks'
actionpack (3.2.12) lib/abstract_controller/callbacks.rb:17:in `process_action'
actionpack (3.2.12) lib/action_controller/metal/rescue.rb:29:in `process_action'
actionpack (3.2.12) lib/action_controller/metal/instrumentation.rb:30:in `process_action'
activesupport (3.2.12) lib/active_support/notifications.rb:123:in `instrument'
activesupport (3.2.12) lib/active_support/notifications/instrumenter.rb:20:in `instrument'
activesupport (3.2.12) lib/active_support/notifications.rb:123:in `instrument'
actionpack (3.2.12) lib/action_controller/metal/instrumentation.rb:29:in `process_action'
actionpack (3.2.12) lib/action_controller/metal/params_wrapper.rb:207:in `process_action'
activerecord (3.2.12) lib/active_record/railties/controller_runtime.rb:18:in `process_action'
actionpack (3.2.12) lib/abstract_controller/base.rb:121:in `process'
actionpack (3.2.12) lib/abstract_controller/rendering.rb:45:in `process'
actionpack (3.2.12) lib/action_controller/metal.rb:203:in `dispatch'
actionpack (3.2.12) lib/action_controller/metal/rack_delegation.rb:14:in `dispatch'
actionpack (3.2.12) lib/action_controller/metal.rb:246:in `action'
actionpack (3.2.12) lib/action_dispatch/routing/route_set.rb:73:in `call'
actionpack (3.2.12) lib/action_dispatch/routing/route_set.rb:73:in `dispatch'
actionpack (3.2.12) lib/action_dispatch/routing/route_set.rb:36:in `call'
journey (1.0.4) lib/journey/router.rb:68:in `call'
journey (1.0.4) lib/journey/router.rb:56:in `each'
journey (1.0.4) lib/journey/router.rb:56:in `call'
actionpack (3.2.12) lib/action_dispatch/routing/route_set.rb:601:in `call'
rack-openid (1.3.1) lib/rack/openid.rb:98:in `call'
actionpack (3.2.12) lib/action_dispatch/middleware/best_standards_support.rb:17:in `call'
rack (1.4.5) lib/rack/etag.rb:23:in `call'
rack (1.4.5) lib/rack/conditionalget.rb:35:in `call'
actionpack (3.2.12) lib/action_dispatch/middleware/head.rb:14:in `call'
actionpack (3.2.12) lib/action_dispatch/middleware/params_parser.rb:21:in `call'
actionpack (3.2.12) lib/action_dispatch/middleware/flash.rb:242:in `call'
rack (1.4.5) lib/rack/session/abstract/id.rb:210:in `context'
rack (1.4.5) lib/rack/session/abstract/id.rb:205:in `call'
actionpack (3.2.12) lib/action_dispatch/middleware/cookies.rb:341:in `call'
activerecord (3.2.12) lib/active_record/query_cache.rb:64:in `call'
activerecord (3.2.12) lib/active_record/connection_adapters/abstract/connection_pool.rb:479:in `
call'
actionpack (3.2.12) lib/action_dispatch/middleware/callbacks.rb:28:in `call'
activesupport (3.2.12) lib/active_support/callbacks.rb:405:in `_run__495543628__call__4__callbac
ks'
activesupport (3.2.12) lib/active_support/callbacks.rb:405:in `send'
activesupport (3.2.12) lib/active_support/callbacks.rb:405:in `__run_callback'
activesupport (3.2.12) lib/active_support/callbacks.rb:385:in `_run_call_callbacks'
activesupport (3.2.12) lib/active_support/callbacks.rb:81:in `send'
activesupport (3.2.12) lib/active_support/callbacks.rb:81:in `run_callbacks'
actionpack (3.2.12) lib/action_dispatch/middleware/callbacks.rb:27:in `call'
actionpack (3.2.12) lib/action_dispatch/middleware/remote_ip.rb:31:in `call'
actionpack (3.2.12) lib/action_dispatch/middleware/debug_exceptions.rb:16:in `call'
actionpack (3.2.12) lib/action_dispatch/middleware/show_exceptions.rb:56:in `call'
railties (3.2.12) lib/rails/rack/logger.rb:32:in `call_app'
railties (3.2.12) lib/rails/rack/logger.rb:18:in `call'
actionpack (3.2.12) lib/action_dispatch/middleware/request_id.rb:22:in `call'
rack (1.4.5) lib/rack/methodoverride.rb:21:in `call'
rack (1.4.5) lib/rack/runtime.rb:17:in `call'

```

```

activesupport (3.2.12) lib/active_support/cache/strategy/local_cache.rb:72:in `call'
rack (1.4.5) lib/rack/lock.rb:15:in `call'
actionpack (3.2.12) lib/action_dispatch/middleware/static.rb:62:in `call'
rack-cache (1.2) lib/rack/cache/context.rb:136:in `forward'
rack-cache (1.2) lib/rack/cache/context.rb:143:in `pass'
rack-cache (1.2) lib/rack/cache/context.rb:155:in `invalidate'
rack-cache (1.2) lib/rack/cache/context.rb:71:in `call!'
rack-cache (1.2) lib/rack/cache/context.rb:51:in `call'
railties (3.2.12) lib/rails/engine.rb:479:in `call'
railties (3.2.12) lib/rails/application.rb:223:in `call'
railties (3.2.12) lib/rails/railtie/configurable.rb:30:in `send'
railties (3.2.12) lib/rails/railtie/configurable.rb:30:in `method_missing'
passenger (2.2.14) lib/phusion_passenger/rack/request_handler.rb:92:in `process_request'
passenger (2.2.14) lib/phusion_passenger/abstract_request_handler.rb:207:in `main_loop'
passenger (2.2.14) lib/phusion_passenger/railz/application_spawner.rb:441:in `start_request_handler'
passenger (2.2.14) lib/phusion_passenger/railz/application_spawner.rb:381:in `handle_spawn_application'
passenger (2.2.14) lib/phusion_passenger/utils.rb:252:in `safe_fork'
passenger (2.2.14) lib/phusion_passenger/railz/application_spawner.rb:377:in `handle_spawn_application'
passenger (2.2.14) lib/phusion_passenger/abstract_server.rb:352:in `__send__'
passenger (2.2.14) lib/phusion_passenger/abstract_server.rb:352:in `main_loop'
passenger (2.2.14) lib/phusion_passenger/abstract_server.rb:196:in `start_synchronously'
passenger (2.2.14) lib/phusion_passenger/abstract_server.rb:163:in `start'
passenger (2.2.14) lib/phusion_passenger/railz/application_spawner.rb:222:in `start'
passenger (2.2.14) lib/phusion_passenger/spawn_manager.rb:262:in `spawn_rails_application'
passenger (2.2.14) lib/phusion_passenger/abstract_server_collection.rb:126:in `lookup_or_add'
passenger (2.2.14) lib/phusion_passenger/spawn_manager.rb:256:in `spawn_rails_application'
passenger (2.2.14) lib/phusion_passenger/abstract_server_collection.rb:80:in `synchronize'
passenger (2.2.14) lib/phusion_passenger/abstract_server_collection.rb:79:in `synchronize'
passenger (2.2.14) lib/phusion_passenger/spawn_manager.rb:255:in `spawn_rails_application'
passenger (2.2.14) lib/phusion_passenger/spawn_manager.rb:154:in `spawn_application'
passenger (2.2.14) lib/phusion_passenger/spawn_manager.rb:287:in `handle_spawn_application'
passenger (2.2.14) lib/phusion_passenger/abstract_server.rb:352:in `__send__'
passenger (2.2.14) lib/phusion_passenger/abstract_server.rb:352:in `main_loop'
passenger (2.2.14) lib/phusion_passenger/abstract_server.rb:196:in `start_synchronously'
passenger (2.2.14) bin/passenger-spawn-server:61

```

□ □

- CentOS release 6.3(x86_64)
- Redmine 2.2.3
- ruby 1.8.7-352

```
# bundle show
```

```
Gems included by the bundle:
```

- * actionmailer (3.2.12)
- * actionpack (3.2.12)
- * activemodel (3.2.12)
- * activerecord (3.2.12)
- * activeresource (3.2.12)
- * activesupport (3.2.12)
- * arel (3.0.2)
- * builder (3.0.0)
- * bundler (1.2.3)
- * coderay (1.0.8)
- * erubis (2.7.0)
- * fastercsv (1.5.5)
- * highline (1.5.2)
- * hike (1.2.1)
- * htauth (1.0.3)
- * i18n (0.6.1)
- * journey (1.0.4)
- * jquery-rails (2.0.3)
- * json (1.7.7)

- * mail (2.4.4)
- * mime-types (1.21)
- * multi_json (1.6.1)
- * net-ldap (0.3.1)
- * polyglot (0.3.3)
- * rack (1.4.5)
- * rack-cache (1.2)
- * rack-openid (1.3.1)
- * rack-ssl (1.3.3)
- * rack-test (0.6.2)
- * rails (3.2.12)
- * railties (3.2.12)
- * rake (10.0.3)
- * rdoc (3.12.1)
- * ruby-ole (1.2.11.6)
- * ruby-openid (2.1.8)
- * spreadsheet (0.8.1)
- * sprockets (2.2.2)
- * sqlite3 (1.3.7)
- * thor (0.17.0)
- * tilt (1.3.3)
- * treetop (1.4.12)
- * tzinfo (0.3.35)

History

#1 - 02/24/2013 01:25 AM - Toshiyuki Ando

REXML::ParseException (#<REXML::ParseException: Missing end tag for 'hr' (got "body")

Jenkins
Internal Error

#2 - 03/13/2013 10:21 AM - Matthieu Bach

Hi, I have the same problem.

Redmine 2.2.3 from Bitnami Stacks
Redmin_Hudson 2.2.1

#3 - 05/23/2013 05:37 AM - Akiko Takano

Hi, everyone.
I saw the same situation when input invalid password.

I tried to make workarounds into my fork.
https://bitbucket.org/nobiinu_and/redmine_hudson/pull-request/3/redmine23/activity

I'm glad I could be any help...

Jenkins
XML

#4 - 06/05/2013 01:51 PM - NAITOH Jun

Jenkins
XML

Jenkins
XML

1. URL () Internal error
2. () Internal error
3. Hudson Internal error

#5 - 06/13/2013 02:46 AM - Akiko Takano

pull request Internal Error ()

NAITOH Jun :

Jenkins XML

1. URL ()
2. () Internal error
3. Hudson Internal error

#6 - 06/13/2013 12:20 PM - NAITOH Jun

- Status changed from *New* to *Resolved*

Akiko Takano :

pull request Internal Error ()

redmine2.x Internal Error ()

#7 - 06/14/2013 11:37 AM - Akiko Takano

NAITOH Jun :

#8 - 07/15/2013 11:27 PM - Toshiyuki Ando

-
- ** 5
 -
 -
 -

#9 - 07/17/2013 12:21 AM - Toshiyuki Ando

- Project changed from *r-labs* to *Hudson*

- Category deleted (Hudson Plugin)

#10 - 07/20/2013 01:37 AM - Toshiyuki Ando

- Assignee set to Toshiyuki Ando

□□□□□□□□□□□□□□
□□□□□□□□□□□□□□

#11 - 07/20/2013 01:38 AM - Toshiyuki Ando

□□□□□□□ Bitbucket □□□□□□□□□□□□□□□□□□□□□□□□□□

#12 - 07/20/2013 01:39 AM - Toshiyuki Ando

□□□□□□□□□□...□□□□□□□□□□□□□□□□□□□□□□□□

#13 - 07/20/2013 10:14 AM - Toshiyuki Ando

□□□□□□□□□□

#14 - 07/20/2013 10:58 AM - Toshiyuki Ando

- Target version set to 2.1.2

#15 - 07/22/2013 09:49 AM - NAITOH Jun

□□□□□□□□□□□□□□

redmine2.x □□□□□□□□□□□□□□ (67325dc) □□□□□□□□□□
URL□□□
□□□□□□□□□□□□□□

※ □□□
□□□
□□□
□□□

#16 - 07/28/2013 11:51 AM - Toshiyuki Ando

□□□□□□□□□□□□□□

NAITOH Jun □□□□□□□□:

※ □□□
□□□
□□□
□□□

□□□□□□□□□□□□□□...□□□□□□□□□□□□□□

#17 - 09/07/2013 09:25 PM - Toshiyuki Ando

- % Done changed from 0 to 100

#18 - 09/23/2013 07:59 PM - Toshiyuki Ando

- Status changed from □□□ Resolved to □□□ Closed